

## Mobil Delvac lubricant recommendation for Scania Trucks

### Mobil Delvac – a comprehensive range of engine & gear oils you can trust

Mobil Delvac is one of the best selling brands of heavy duty oil in the world. A brand **trusted** by millions of truck owners, workshop managers and fleet professionals – including Scania.

Scania and Mobil Delvac share a long tradition of delivering just what the customer needs. A brand with an impeccable pedigree stretching back to 1925, Mobil Delvac is the specialist brand with an extensive range of lubricants and greases to meet your commercial vehicles needs.

Our commitment to extensive on-going **research and development** ensures Mobil Delvac stays at the forefront of lubrication technology and meets and exceeds the demands of today's heavy duty trucks.

Like Scania, we believe our customer's satisfaction and profitability is vital. Just as you depend on the outstanding **performance** of your Scania truck, you can depend on the specially selected family of Mobil Delvac products to help in the battle to achieve optimum operational efficiency.

Your investment in a premium brand like Scania needs to be protected. Mobil Delvac protects as it performs. Mobil Delvac formulations use powerful additive technologies and high quality base oils which together help to resist oil degradation, reduce engine wear and achieve long oil drain intervals. The goal is to help you to achieve long engine life.

**Mobil Delvac** offers a complete 'bumper to bumper' range of high performance products for your commercial vehicle, which are formulated not only to meet key Scania specifications, but also a wide range of OEM and industry approvals offering outstanding performance and protection in some of the most demanding conditions.

Whether you are an owner operator, fleet owner or workshop manager, you can entrust your Scania commercial vehicle lubrication to Mobil Delvac.



“ Local market to obtain and place local testimonial (or proof of performance) quotation here if available or desired. ”

## Mobil Delvac Engine Oils

Application	Engine Oil
Where Scania Low Ash approval required	Mobil Delvac XHP LE 10W-40
Euro 4/5 engines extended ODI (LDF-2)	Mobil Delvac XHP Extra 10W-40
Euro 4/5 engines normal ODI	Mobil Delvac MX Extra 10W-40 Mobil Delvac MX 15W-40
Euro 2/3 engines extended ODI (LDF)	Mobil Delvac 1 5W-40 Mobil Delvac XHP Extra 10W-40
Euro 2/3 engines normal ODI	Mobil Delvac MX 15W-40

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations, fuel sulfur and operating conditions.



### Mobil Delvac 1 5W-40

#### Ultimate engine protection and long life

- State-of-the-art technology to deliver exceptional performance in modern low emission engines
- Advanced formulation and viscometrics with potential to improve fuel economy and maximize oil drain intervals
- Outstanding high and low temperature protection

### Mobil Delvac XHP LE 10W-40

#### Advanced engine and emission system protection

- Synthetic extra high performance diesel engine oil engineered to provide lubrication to low emissions engines
- Designed using high performance base oils which provide excellent low temperature fluidity, high temperature viscosity retention, volatility control and fuel economy potential.
- Suitable for engines fitted with Diesel Particulate Filters

### Mobil Delvac MX 15W-40

#### For technically advanced modern engines

- Surpasses stringent engine test requirements
- Formulated to provide improved soot handling, wear and oxidation resistance
- Excellent lubrication of modern heavy-duty diesel engines, promoting long engine life



## Mobil Transmission, Specialty and Ancillary Products

Application	Mobil Product
STO 1:0 Gearbox oil	Mobilube 1 SHC 75W-90 Mobilube S 80W-90
STO 1:0 Axle oil	Mobil Delvac Synthetic Gear Oil 75W-140 Mobilube HD-N 80W-140

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations and operating conditions.

### Mobilube 1 SHC 75W-90

#### Advanced synthetic technology for transmissions and rear axels

- Extended service capability in a wide range of applications
- Provides good thermal and oxidation stability, inherently high VI, extremely low pour point, improved low temperature fluidity and fuel economy potential

### Mobil Delvac Synthetic Gear Oil 75W-140

#### Fully synthetic transmission and axle oil

- For vehicles operating in severe service conditions
- Provides protection against thermal degradation and oxidation, reduced wear and corrosion
- Incorporates the latest technology in synthetic basestocks and advanced additives providing significant advantages over mineral gear oils

### Mobilube HD-N 80W-140

#### Extra high performance commercial gear lubricant

- Recommended for use in heavy-duty transmissions, axles and final drives where extreme pressures and shock loading are expected.
- Provides excellent chemical and thermal stability at elevated bulk oil temperatures and good performance at low temperatures
- Good rust performance resulting from water contamination and/or storage in wet conditions.



ExxonMobil Lubricants & Specialties  
Division of ExxonMobil Petroleum & Chemical

Hermeslaan 2  
1831 Machelen  
Belgium

© 2010 Exxon Mobil Corporation

The Mobil Delvac and ExxonMobil logotypes are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. The term "ExxonMobil" is used for convenience only and could refer to Exxon Mobil Corporation or one of its affiliates as the case may be. Other logotypes and trademarks are the property of the respective owners.

[www.mobildelvac.com](http://www.mobildelvac.com)

The logo features the word "ExxonMobil" in a bold, red, sans-serif font. The "x" is stylized with a red diagonal slash. Below it, the words "Lubricants & Specialties" are written in a smaller, grey, italicized serif font.

**ExxonMobil**  
*Lubricants & Specialties*