

Mobil Delvac lubricant recommendation for Volvo Trucks and Commercial Vehicles

Mobil Delvac – a comprehensive range of engine & gear oils you can trust

The development and performance of heavy duty and light commercial truck engines is continually evolving, to meet ever increasing demands for more power, increased **efficiency** and to meet exacting global legislative and environmental requirements, particularly with respect to emission control.

Volvo Truck has recognised our increased dedication to the commercial vehicle transportation of goods and cargo around the globe.

Volvo Truck and **Mobil Delvac** – a brand with a pedigree stretching back to 1925 – are equally focused on meeting their customers' needs by continual development and investment, operational excellence, and industry-leading **technology** to provide industry leading, superior products and services.

Mobil Delvac lubricants are rigorously tested against Volvo Truck specifications, and joint development programs ensure that current and next generations of Mobil Delvac lubricants meet and often exceed Volvo Truck's exacting requirements.

Our ongoing **technical co-operation** program with Volvo Trucks means that Volvo customers can be assured of the **highest quality** and operational reliability of the Mobil Delvac range of high performance synthetic and mineral lubricants, high performance greases and niche products.

Mobil Delvac offers a complete 'bumper to bumper' range of high performance products for your commercial vehicle, which are formulated not only to meet key Volvo specifications, but also a wide range of OEM and industry approvals offering **outstanding performance** and **protection** in the most demanding conditions.

Whether you are an owner operator, fleet owner or workshop manager, you can entrust your Volvo commercial vehicle lubrication to **Mobil Delvac**.



“ Local market to obtain and place local Volvo testimonial (or proof of performance) quotation here if available. ”

FPO

Mobil Delvac Engine Oils

Specification	Engine Oil
VDS-4	Mobil Delvac MX ESP 10W-30 Mobil Delvac MX ESP 15W-40
VDS-3	Mobil Delvac 1 LE 5W-30 Mobil Delvac 1 5W-40 Mobil Delvac XHP LE 10W-40 Mobil Delvac MX 15W-40
VDS-2	Mobil Delvac Super 1400 15W-40

Please refer to your specific OEM manual for full product recommendation listings and applicable oil drain intervals

Low SAPS



Mobil Delvac 1 LE 5W-30

Advanced engine and emission system protection

- Fully synthetic supreme performance low ash diesel engine oil
- Helps extend engine and emission system life, long drain capability and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters



Mobil Delvac 1 5W-40

Ultimate engine protection and long life

- State-of-the-art technology to deliver exceptional performance in modern low emission engines
- Advanced formulation and viscometrics with potential to improve fuel economy and maximize oil drain intervals
- Outstanding high and low temperature protection



Mobil Delvac MX ESP 10W-30

Delivering exceptional performance through technology

- Robust chemical structure to enable long engine life
- Outstanding wear protection advantages
- Effective oxidation resistance, even under severe conditions
- Improved frictional properties

Mobil Delvac XHP LE 10W-40

Advanced engine and emission system protection

- Synthetic extra high performance diesel engine oil engineered to provide lubrication to low emissions engines
- Designed using high performance base oils which provide excellent low temperature fluidity, high temperature viscosity retention, volatility control and fuel economy potential.
- Suitable for engines fitted with Diesel Particulate Filters

Low SAPS



Mobil Delvac MX 15W-40

For technically advanced modern engines

- Surpasses stringent engine test requirements
- Formulated to provide improved soot handling, wear and oxidation resistance
- Excellent lubrication of modern heavy-duty diesel engines, promoting long engine life



Mobil Transmission, Specialty and Ancillary Products

Specification	Mobil Product
Transmission Oil 97305	Refer to Owners Manual
Transmission Oil 97307	Mobiltrans SHC V30
Transmission Oil 97312	Refer to Owners Manual
API GL-5	Mobilube HD 85W-140
Hydraulic Oil	Nuto H 32



Mobiltrans SHC V30

Fully synthetic, heavy duty manual transmission oil

- Engineered to meet the most demanding requirements
- Outstanding high temperature detergency and dispersancy with optimized protection against thermal degradation, oxidation, wear and corrosion
- Offers stronger film strength at higher temperatures than conventional oils



Mobilube HD 85W-140

High performance, heavy duty gear oil

- Formulated from high quality base oils and an advanced additive system
- Outstanding protection against wear and scoring
- Provides excellent performance where API GL-5 is required



Mobil Delvac

ExxonMobil Lubricants & Specialties
Division of ExxonMobil Petroleum & Chemical

Hermeslaan 2
1831 Machelen
Belgium

© 2009 Exxon Mobil Corporation

The Mobil Delvac and ExxonMobil logotypes are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. The term "ExxonMobil" is used for convenience only and could refer to Exxon Mobil Corporation or one of its affiliates as the case may be. Other logotypes and trademarks are the property of the respective owners.

www.mobildelvac.com

The logo features the word "ExxonMobil" in a bold, red, sans-serif font. The "x" is stylized with a red diagonal slash. Below it, the words "Lubricants & Specialties" are written in a smaller, grey, italicized serif font.

ExxonMobil
Lubricants & Specialties